



VISTA Horizontal Picket Infill Kit – Assembly Instructions


1. **Level Posts, Rails, & Level Bracket Package:** Complete steps 1-4A of the Vista Residential Deck Railing Assembly Instructions (https://www.vistarailings.com/wp-content/uploads/2023/08/Picket_Glass-Level-Railing-Instructions-English-V5.pdf)
2. **Horizontal Picket Mounting Plate placement:** Take mounting plates and install tabs on top and bottom of mounting plate into the open channel of the top and bottom rail, ensuring the cups are open facing upwards, and push the plate against the post.




3. **Securing Horizontal Picket Mounting Plate:** Secure the mounting plate install in step 2 to the post by screwing thru the predrilled holes inside the picket bracket on the mounting plate using the provided #10 Flat Head self-taping screw.




- Repeat Steps 2 and 3 on the opposite side of the opening you are working on to secure a second mounting plate.




- Bottom Rail - Channel Cover Installation:** Using tape measure, measure the distance from mounting plate to mounting plate along the bottom rail and cut your channel cover to length and snap onto the bottom rail closing the channel. Repeat step using the top rail for measurements and installation.




- Horizontal Picket:** using tape measure, measure distance from inside of first mounting plate bracket on the bottom of the first post to inside of the first mounting plate on the second post and subtract 0.5" from distance and cut picket to length. Repeat this step for the remaining 5 bracket pairs.



- Horizontal picket:** Install 1st picket on the first mounting plate bracket at the bottom of the mounting plate by placing it into the opening of the bracket on both ends. Repeat for the remaining 5 pickets and bracket pairs.



- Picket Cap:** Take horizontal picket mounting cap and place over mounting bracket enclosing the installed horizontal picket (step 8) into the bracket. Using the provided #10 x 3/4" Flat Head self-taping screw through the predrilled hole in the horizontal picket mounting cap screw cap to mounting bracket and picket securing picket and cap in place. Repeat on all remaining 11 mounting brackets.



- Transition Mounting Plate (Installing with a level bracket package):** Take transition mounting plate and install against post with radius at the top of the transition mounting plate next to the radius of the bottom of the top rail level bracket, at the same time the radius at the bottom of the transition mounting plate should be next to the radius on the top of the bottom rail level bracket. Screwing thru the predrilled holes inside the picket bracket on the mounting plate using the provided #10 x $\frac{3}{4}$ " Flat Head self-taping screws (for wood posts use provided 2.5" wood screws) secure the transition mounting plate to your post.

